References

- Bright Futures at Georgetown University website at http://www.brightfutures.org.
- brightfutures.org. (n.d.). Pediatric Symptom Checklist. Retrieved from http://www.brightfutures.org/mentalhealth/pdf/professionals/ped_sympton_chklst.pdf.
- Cappelli, M., Gray, C., Zernek, R., Cloutier, P., Kennedy, A., Glennie, E., ... & Lyons, J.S. (2012). The HEADS-ED: A rapid mental health screening tool for pediatric patients in the emergency department. *Pediatrics*, *130*(2), e321-327. doi: 10.1542/peds.2011-3798.
- California Evidence-Based Clearinghouse for Child Welfare (CEBC4CW). (2009c). Screening and assessment tools for child welfare: Ages and Stages Questionnaire (ASQ). Retrieved from http://www.cebc4cw.org/assessment-tool/ages-and-stages-questionnaire/.
- California Evidence-Based Clearinghouse for Child Welfare (CEBC4CW). (2009a). Screening and assessment tools for child welfare: Pediatric Symptom Checklist-17 (PSC-17). Retrieved from http://www.cebc4cw.org/assessment-tool/pediatric-symptom-checklist-17/.
- California Evidence-Based Clearinghouse for Child Welfare (CEBC4CW). (2009b). Screening and assessment tools for child welfare: Strengths and Difficulties Questionnaire (SDQ). Retrieved from http://www.cebc4cw.org/assessment-tool/strengths-and-difficulties-questionnaire/.
- Center for Adolescent Substance Abuse Research (CeASAR). (n.d.). The CRAFFT screening tool. Retrieved from http://www.ceasar.org/CRAFFT/index.php.
- Child and Adolescent Psychiatry Screen (CAPS). Retrieved from http://www2.massgeneral.org/schoolpsychiatry/childadolescentpscychiatryscreencaps.pdf
- Department of Psychiatry, University of Pittsburgh School of Medicine. (n.d.). Research: Assessment instruments. Retrieved from http://www.wpic.pitt.edu/research.
- Depressedchild.org. (n.d.). Depression Test for Children (CES-DC). Retrieved from http://www.depressedchild.org/Tests/Depression%20Test.htm.
- Faulstich, M.E., Carey, M.P., Ruggiero, L., Enyart, P., & Grewham, F. (1986). Assessment of depression in childhood and adolescence: An evaluation of the Center for Epidemiological Studies Depression Scale for Children (CES-DC). *American Journal of Psychiatry*, *143*(8), 1024-1027.
- Hawkins-Walsh, E., & Stone, C. (2004, January-February). A national survey of PNP curricula: Preparing pediatric nurse practitioners to meet the challenge in behavioral mental health. *Pediatric Nursing*, 30(1), 72-78.

- Kaufman, J., & Schweder, A.E. (2003). The schedule for affective disorder and schizophrenia for school-age children: Present and lifetime version (K-SADS-PL). In M. Hersen (Ed.), *Comprehensive handbook of psychological assessment: Personality assessment: Volume* 2. New York: Wiley.
- Massachusetts General Hospital, Psychiatry. (n.d.a). *Pediatric Symptom Checklist: About the PSC*. Retrieved from http://www.massgeneral.org/psychiatry/services/psc_about.aspx.
- Massachusetts General Hospital, Psychiatry. (n.d.b). *Pediatric Symptom Checklist: Scoring the PSC*. Retrieved from http://www.massgeneral.org/psychiatry/services/psc_scoring.aspx.
- Massachusetts General Hospital, Psychiatry. (n.d.c). *Pediatric Symptom Checklist: Using the PSC*. Retrieved from http://www.massgeneral.org/psychiatry/services/psc use.aspx.
- Massachusetts General Hospital, School Psychiatry. (n.d.d). Table of all screening tools & rating scales: Bipolar disorder detail. Retrieved from http://www2.massgeneral.org/schoolpsychiatry/screening-bipolar.asp.
- Modified Checklist for Autism in Toddlers M-CHAT (instrument and scoring directions). Retrieved from www.mchatscreen.com.
- Mood and Feelings Questionnaire. Retrieved from http://devepi.mc.duke.edu/mfq.html.
- Parent Version of the Young Mania Rating Scale (P-YMRS). Retrieved from http://www.thebalancedmind.org/tag/p-ymrs.
- Robins, D.L., Fein, D., Barton, M.L. & Green, J.A. (2001). Modified Checklist for Autism in Toddlers (M-CHAT). *Journal of Autism and Developmental Disorders*. Retrieved from http://www.firstsigns.org/downloads/m-chat_scoring.PDF.
- SNAP-IV Teacher and Parent Rating Scale and Scoring Instructions. (n.d.). Retrieved from www.adhd.net.
- Strengths and Difficulties Questionnaire (SDQ). Retrieved from www.sdqinfo.com.
- TeenScreen Primary Care. (2009). Incorporating substance abuse screening into adolescent office visits: CRAFFT. National Center for Mental health Checkups, Columbia University. Retrieved from http://www.teenscreen.org/wp-content/uploads/CRAFFT-1-5-12readonly.pdf.
- TenderCARE website at http://www.tn.gov/tenncare/tenndercare/index.shtml.
- Vanderbilt ADHD Diagnostic Parent Rating Scale (VADPRS). Retrieved from http://www.collab4kids.org/images/uploads/Vanderbilt%20ADHD%20Diagnostic%20Parent%20Scoring%20&%20Instructions.pdf.

- Vanderbilt ADHD Diagnostic Teacher Rating Scale (VADTRS). Retrieved from http://www.brightfutures.org/mentalhealth/pdf/professionals/bridges/adhd.pdf or http://209.202.151.232/c/document_library/get_file.
- Weissman, M.M., Orvaschel, H., & Padian, N. (1980). Children's symptom and social functioning self report scales: Comparison of mothers' and children's reports. *Journal of Nervous Mental Disorders*, 168(12), 736-740.
- Wolraich, M.L., Feurer, I.D., Hannah, J.N., et al. (1998). Obtaining systematic teacher reports of disruptive behavior disorders utilizing DSM-IV. *Journal of Abnormal Child Psychology*, 26(2), 141-152.
- Zero to Three. (2005). Diagnostic classification of mental health and developmental disorders of infancy and early childhood: Revised edition (DC: 0-3R). Washington, DC: Zero to Three Press.

This page was intentionally left blank

Other Diagnostic Resources

Other Diagnostic Resources

Peabody Treatment Progress Battery (PTPB)(2nd edition)

This version of the Peabody Treatment Progress Battery (PTPB) was made available in 2010. It was developed by Vanderbilt's Center for Evaluation and Program Improvement (CEPI) and designed to provide feedback on the effects of treatment for youth ages 11-18. The youth can be serviced in a variety of settings, including in-home treatment, foster care, and outpatient care. The PTPB is merely one component of the Contextualized Feedback Systems, also developed by the CEPI. The battery includes 11 measures of key clinical processes and mental health outcomes. The tool is psychometrically sound and easy to administer. The PTPB is written at the 4th grade reading level and takes less than 10 minutes to administer each week. Both English and Spanish versions are available, with plans to extend the battery to younger children and adult populations, as well as in other languages.

Resources, including instructions for use are available free of charge at http://peabody.vanderbilt.edu/research/center-evaluation-program-improvementcepi/reg/ptpb 2nd ed downloads.php. A completed registration form and consent to the license agreement are still required and must be completed prior to use. After submission, you will receive an email that provides a link to the manual. It is further possible to use the battery on a computerized, automated, or web-based system. A supplemental license agreement regarding computerized use must be completed first. You can even submit your own instruments for possible inclusion in the PTPB.

Diagnostic Classification of Mental Health and Developmental Disorders of infancy and Early Childhood, Revised (DC:0-3R)

The DC: 0-3R is a developmentally based system for diagnosing mental health and developmental disorders in children three and under. Designed for mental health clinicians, counselors, physicians, nurses, early interventionists, early childhood administrators/teachers, and researchers, it is an indispensable guide to evaluation and treatment planning for infants and toddlers. The DC: 0-3R can help clinicians:

- Recognize mental health and development challenges in young children.
- Understand how relationships and environmental factors contribute to mental health and development disorders.
- Use diagnostic criteria effectively for classification and intervention.
- Work more effectively with parents and other professionals to develop effective treatment plans.

In addition, the DC:0-3R enhances the ability of mental health professionals in preventing, diagnosing, and treating problems in the earliest years as it identifies and describes disorders not addressed in other classification systems. The resource further points the way to effective intervention approaches. Other information on the DC:0-3R can be found at http://www.zerotothree.org/child-development/early-childhood-mental-health/diagnostic-02/25/2013

<u>classification-of-mental-health-and-developmental-disorders-of-infancy-and-early-childhood-revised.html.</u> The DC:0-3R must be purchased, as should following recommended forms:

- Functional Rating Scale for Emotional and Social Functioning Capacities
- Parent-Infant Relationship Global Assessment Scale (PIR-GAS)
- Psychosocial & Environmental Stressor Checklist
- Relationship Problems Checklist (RPCL)

All DC:0-3R materials are proprietary and can be purchased through the ZERO TO THREE eSTORE, http://main.zerotothree.org/site/PageServer?pagename=ter_est_home.

References

Center for Evaluation and Program Improvement (CEPI). (2010). The Peabody Treatment Progress Battery (PTPB), 2nd edition. Retrieved from http://peabody.vanderbilt.edu/research/center-evaluation-program-improvement-cepi/reg/ptpb_2nd_ed_downloads.php.

Zero to Three. (2005). Diagnostic classification of mental health and developmental disorders of infancy and early childhood: Revised edition (DC: 0-3R). Washington, DC: Zero to Three Press.

Zero to Three estore. Retrieved from http://main.zerotothree.org/site/PageServer?pagename=ter-est-home.

This page was intentionally left blank